




GoLabel II

Label Design Software



Upgrade your experience
from exceptional to
extraordinary

Godex is pleased to launch a new generation of label design software, GoLabel II which builds on the success and once-in-a-decade revision of GoLabel. It makes designing and printing a label quick and easy to use so that you can grow your business effortlessly and efficiently.




GoLabel II includes all of the features you love from GoLabel as well as new features and added improvements. From a new user interface design to improved operating efficiency, you will be amazed at how easy it is to design and print a label with GoLabel II.



Sophisticated user interface

Intuitive icons, with modern look and feel to facilitate the user's experience




Multiple data input methods

Creating a label has never been so easy

The screenshot displays the 'Printer Text' dialog box in the GoDEX software. The 'Basic Settings' tab is active, showing a list of fonts under 'Internal Font' with 'Default' selected. The 'Data Content' pane shows a tree view with the following items: 'Date: 21-Dec-21', '<\n>Time: 16:31:38', and '<\n>Expiry Date: 22-Jan-20'. The preview area shows the rendered text: 'Date:21-Dec-21', 'Time:16:31:38', and 'Expiry Date:22-Jan-20'. The 'Basic Parameter' section includes 'Font Type' set to 'Internal Font (Default)', 'Horiz. Expand' and 'Vert. Expand' both set to '1', and a text area containing 'Date:*D', 'Time:*T', and 'Expiry Date:*D+0030.00'. The 'Object Control' section shows 'Rotate' set to '0°' and several checkboxes: 'Print Check Digit (Numeric Only)', 'Lock Object', 'Do Not Print the Object', 'Anti-White Print', 'UTF8 Encoding' (checked), and 'Remove Blank & 0 Before Serial Number'.

Date:21-Dec-21
Time:16:33:14
Expiry Date:22-Jan-20

Multi language user interface



The same label design can be printed in multiple resolutions

200dpi

Nutrition Facts	
8 servings per container	
Serving size	2/3 cup (55g)
Amount per serving	
Calories	230
% Daily Value*	
Total Fat 8g	10%
Saturated Fat 1g	5%
Trans Fat 0g	
Cholesterol 0mg	0%
Sodium 160mg	7%
Total Carbohydrate 37g	13%
Dietary Fiber 4g	14%
Total Sugars 12g	
Includes 10g Added Sugars	20%
Protein 3g	
Vitamin D 2mcg	10%
Calcium 260mg	20%
Iron 8mg	45%
Potassium 240mg	6%

* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

(For educational purposes only. These labels do not meet the labeling requirements described in 21 CFR 101.9.)

300dpi

Nutrition Facts	
8 servings per container	
Serving size	2/3 cup (55g)
Amount per serving	
Calories	230
% Daily Value*	
Total Fat 8g	10%
Saturated Fat 1g	5%
Trans Fat 0g	
Cholesterol 0mg	0%
Sodium 160mg	7%
Total Carbohydrate 37g	13%
Dietary Fiber 4g	14%
Total Sugars 12g	
Includes 10g Added Sugars	20%
Protein 3g	
Vitamin D 2mcg	10%
Calcium 260mg	20%
Iron 8mg	45%
Potassium 240mg	6%

* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.

(For educational purposes only. These labels do not meet the labeling requirements described in 21 CFR 101.9.)



Barcode AI Wizard helps guide you step by step

【 Step-1 】 : Please select the insert mode

Replace all data
 Insert data
 Add data

【 Step-2 】 : Please select an AI code

Filter

AI	Description
00	SSCC
01	SCC-
02	Item
10	Batch
11	Prodi
12	Due l
13	Back

【 Step-3 】 : Please set AI data

(00) : SSCC-18 Serial Shipping Container Code

Data content can only be digital

Fixed data length

The data length is 18

Sample: (00)0 0123456 000000001 8

Insert Clear

Data

<< Prev Done >>

Locate all of your printers across the same network




Scanning Connected Printer

	Interface	Model	DPI	USB / Alias Name	Mac Address	IP Address	Port	Find This
1	USB	RT730iW	300	GODEX RT730iW#00000000				Buzzer
2	Network	ZX1600i	600	ZX1600i	00-1D-9A-21-09-27	192.168.102.12	9100	Buzzer
▶ 3	Network	RT730iW	300	RT730iWWWWW	00-1D-9A-20-02-19	192.168.102.21	9100	Buzzer
4	Network	RT700i	203	RT700i	00-1D-9A-20-21-BB	192.168.102.36	9100	Buzzer
5	Network	RT200i	203		00-1D-9A-21-10-22	192.168.102.28	9100	Buzzer


Abort

Scanning COM1 Port ...


Print Only Mode designed specifically for production management



The preview function helps device application users to view the data string from the scale before printing



Use .Net Framework 4.0 which is supported by most versions of Windows



Windows 11
Windows 10
Windows 8 and Windows 8.1
Windows 7

GoLabel II features :

- **“What You See is What You Get” design interface**
- **Supports database connection and printing**
- **Supports most standard 1D and 2D barcodes**
- **Enhanced graphic drawing functions**
- **Multi language user interface**
- **Supports network printing**
- **Easy settings for standalone operation**
- **Works harmoniously and intuitively with GODEX printers**

If you want to know more information about GoLabel II Label Design Software , please visit us at :

Download at -

www.godexintl.com/product-list/15236146683486313?locale=en

Operation video at -

www.youtube.com/user/GodexInternational/videos

or contact us directly.

**GODEX International
(Headquarters)**

📍 13F, No.168, Jian-Kang Road,
Zhonghe Dist, New Taipei City
235 Taiwan

☎ +886 2 2225 8580

📠 +886 2 2225 8480

✉ infoGT@godexintl.com

✉ techGT@godexintl.com

🌐 www.godexintl.com

GODEX Americas

📍 3963 Camino Ranchero,
Camarillo, California, 93012,
United States

☎ +1 805 987 5100

📠 +1 805 987 5115

✉ infoGA@godexintl.com

✉ techsupportGA@godexintl.com

🌐 www.godexintl.com/us

GODEX China

📍 3F, No.303 Jiang Chang 3
Road Shanghai, China

☎ +86 21 5665 1313

📠 +86 21 5665 7455

✉ shanghai@godexintl.com

✉ support@godexintl.com

🌐 www.godexintl.cn

GODEX Europe

📍 Industriestraße 19 D-42477
Radevormwald, Germany

☎ +49 2195 59599 0

📠 +49 2195 59599 69

✉ infoGE@godexintl.com

✉ GE@godexintl.com

🌐 www.godexintl.com/de



YouTube



facebook



LINE



LinkedIn



Instagram